

# Smart Vision System for Driver Alertness Detection

**Dr.P.Prasanna Murali Krishna<sup>1</sup>, Dr.D.Satyanarayana<sup>2</sup>, Yammani Najarayudu<sup>3</sup>, Shaik Mahaboob Sarif<sup>4</sup>, Betham Prabhudas<sup>5</sup>, Venna Lakshmireddy<sup>6</sup>**

<sup>1</sup>Professor, Department of ECE, KITS-Markapur

<sup>2</sup>Associate professor, Department of ECE, KITS-Markapur

<sup>3,4,5,6</sup> Students, Department of ECE, KITS-Markapur

**Abstract-** Fatigue and drowsiness are major contributors to automobile accidents, which kill over 1.3 million people annually. With the use of facial landmark detection, the Advanced Drowsiness Detection System is able to accomplish the aforementioned framework, which in turn reduces the total number of road accidents and the weariness that causes drivers to doze off. This technology uses a facial recognition algorithm to identify signs of sleepiness in a user's face. It finds the driver's face and follows its movements to calculate the Eye Aspect Ratio (EAR), a verified way to identify sleepiness. This technology utilizes Driving Behaviour Analysis (DBA) to identify when drivers are drowsy, which in turn decreases deaths and increases road safety. The goal of this technology is to make transportation safer and to prevent drivers from becoming sleepy while operating.

**Keywords—** Eye Aspect Ratio (EAR), Driving Behaviour Analysis (DBA), Raspberry Pi, Eye Detection .

## I. INTRODUCTION

One of the leading causes of car accidents in the US is drivers who are too exhausted to pay attention on the road. A third of all automobile accidents involving driver drowsiness happened in 2017, according to the National Highway Traffic Safety Administration (NHTSA). Drowsiness was a contributing factor in 91,000 incidents, which resulted in 7,500 injuries and 200 deaths. Because the reasoning behind the judgments is unclear, these numbers do not do justice to the seriousness of sleepy driving. If you microsleep while driving while you sleep, you significantly increase your risk of being involved in an accident.

There is an increased risk of a catastrophic catastrophe because drivers may crash due to a loss of control caused by microsleeps. The involuntary withdrawal of energy, cognitive capacity, and decision-making abilities associated with sleep when awake is not the same as somnambulation while driving. According to the

research that has been published: Excessive mental harm, such as BAC or Impaired, might worsen with prolonged waking [1]. While some solutions are more short-term fixes that boost compliance, others are more long-term therapies that reduce the problem's impact and help with sleep problems [2]. Additionally, it is critical for individuals to establish and maintain a good sleep routine, which includes not napping while working, not using electronics for at least an hour before bed, and sleeping in a dark, comfortable bed free of noise and light. In addition to improving the length and quality of sleep, it eliminates problems including daytime drowsiness and driving weariness [3].

The finest sleeping conditions include silence, darkness, and a nice mattress; a healthy dream includes maintaining and declining an electronic device use in the hours leading up to bedtime; and countering the development and maintenance of drowsy driving is of the utmost importance. People are less likely to experience daytime drowsiness or driver fatigue if they maintain appropriate hygiene habits, which in

turn increase the duration and quality of their sleep. Decreased driver sleepiness may be achieved by learning the signs of sleep difficulties and studying them. If someone suspects that they are experiencing excessive daytime sleepiness or excessive nighttime sleepiness, they should see a healthcare professional.

When diagnosing sleep problems and deciding on a course of therapy, a circadian rhythm evaluation might be helpful. Public education and understanding of the risks of tired drivers is one of the most important preventative steps that can help end drowsy driving. One way to manage other individuals in the transportation domains is to use employer relaxation and incentives.

To reduce the dangers of sleepy usage, the legislation may be used in several ways, such as by changing the time of use, prohibiting commercial drivers from driving continuously, or forcing companies to guarantee their workers' safety. Identifying sleepy driving behavior and alerting drivers to rest may be possible with the use of algorithms that can be applied with feasible technology and music characteristics that mitigate tiredness [4]. While there are many groups that must work together to combat drowsy driving, everyone can do their part by getting a good night's rest, seeing a doctor if they have trouble falling asleep, and learning to deal with the fallout of getting behind the wheel after a few hours of sleep.

## II. LITERATURE SURVEY

Using the networking infrastructure in current vehicles and sophisticated sensors, Intelligent Transportation Systems (ITS) can collect a massive quantity of real-time data about motors and drivers, completely transforming the way we analyze automotive behavior [5]. With this deluge of data, driving behaviour analysis (DBA) is ripe for the picking. Improving street security relies

heavily on using behavior to detect drivers' inattention or intoxication, volatility profiles, and fuel efficiency. To tackle all of DBA's problems, nonetheless, such as the want on record types, analytical demonstrations, and modeling approaches, one must view it [6]. Sorting research projects according to data formats, analytic aims, and modeling approaches is one DBA strategy. In order to study drivers' habits, scientists use a wide variety of data sources, such as in-car sensors, voice-activated networks, and external record streams [7].

Software that employs sophisticated modeling methods, machine learning, and statistical analysis also helps researchers to glean meaningful information from otherwise complicated datasets. Researchers are also looking on new ways to identify and lessen the effects of injuries sustained on the street. In order to provide valuable insights for the regulation of site visits and emergency response, fragility models are used to predict the spatiotemporal volume of congestion resulting from accidents [8]. Additionally, Bayesian change detection algorithms provide near-real-time accident detection capabilities, allowing for proactive action to mitigate accident outcomes. Increased road safety, fewer accidents, and fewer injuries may be achieved via the use of multi-sensor facts fusion and improved signal processing techniques to improve early warning systems and collision avoidance structures [9].

The continuous and environmentally friendly records interchange among vehicles, roadside devices, and side servers is made possible by advancements in vehicle-to-infrastructure (V2I) and vehicle-to-automobile (V2V) communication technologies. Protecting and ensuring the integrity of accident-related data conveyed inside intelligent transportation systems (ITS) is the goal of authentication mechanisms provided by blockchain technology [10]. Researchers can improve the overall efficacy of road safety

programs by using blockchain technology to make accident detection and reporting systems more trustworthy and reliable. Problems persist despite encouraging developments in database administration and accident detection approaches. Some methods for real-time applications are not widely used because of their computing overheads, accuracy limits, or complicated device designs. Furthermore, academics and practitioners within the field face enormous challenges due to the mixing of different data assets and the interpretation of varied statistics.

To ensure the correct implementation of DBA systems and the development of trustworthy technologies for accident detection, it is necessary to address moral, privacy, and regulatory considerations [11]. Moreover, there is great promise in combining AI-related structures with ML to provide the ideal performance and accuracy in riding behavior analysis and coincidence detection systems.

It will be helpful for injury prevention to be able to manipulate datasets using ML approaches so that styles, abnormalities, and the development of riding behaviors may be identified. Educators may train algorithms in a variety of driving scenarios while researchers work on more comprehensive predictive models that can identify and eliminate ability hazards as they arise [12]. Academic institutions, businesses, and government agencies must work together interdisciplinarily to further research and development of programs for analyzing driving behaviors and a new take on facial recognition. The rapid sharing, development, and adoption of improved statistical data, materials, and, most crucially, knowledge may be facilitated by such collaborative endeavors [13].

In addition, stakeholders working together may help build and evaluate DBA structures' competence and efficiency across specialties and

regions by providing reference models, methodologies, and criteria. When taken as a whole, the benefits to road safety and accident mitigation from entitative phrases of riding behavior analysis and accident detection are substantial. By delving into intricate technical advancements like illness sensing, communication structures, and data analytics, we may get better insight into the driving force and develop new systems that might effectively reduce the twist of destiny cost [14]. We will continue to increase study and improve this field in order to chart such a diversified future, with the goal of better preserving and maximizing the efficiency of destiny's major transport structures.


### **III. SYSTEM DESIGN AND METHODOLOGY**

In this setup, a Raspberry Pi serves as the central processing unit (CPU) for the whole system. The Raspberry Pi is turned on to begin the series of actions during initialization. It starts by activating the camera module so it may take a picture of the driver's face. A series of processing procedures are applied to this collected picture in order to detect, adjust, and evaluate the driver's eyes and face. The main measure of awareness is the Eye Aspect Ratio (EAR), which has been shown to be a useful tool in the identification of sleepiness and, more specifically, in signaling the beginning of delayed eye closure, a frequent sign of exhaustion. The system next checks the recordings for any strange activity that would indicate the driver is sleepy when the picture processing is complete.

A buzzer is activated to advise the driving force of the approaching danger if such a thing is recognized by the system's alarm mechanism. At the same time, the system takes over the car's functioning by adjusting the speed via the accelerometer. Transportation safety may be improved by mechanically reducing the vehicle's speed, which reduces the likelihood of accidents

caused by tired drivers. The Driver Drowsiness Dataset (DDD) is a collection of extracted and cropped driver faces used to train the algorithm. There are 41,790 photos in the collection, split evenly between the drowsy and non-drowsy categories.

Figure 1. System Architecture Design



By evaluating visual input using AI approaches, this system seeks to address the crucial issue of sleepiness. The technology is able to proactively identify sleepiness in real-time by using an algorithm that can identify and track the driver's eye movements and facial characteristics. There is great hope that this cutting-edge strategy for fighting sleepiness will play a substantial role in improving traffic safety and saving lives.

Another feature that drivers may have is the option to disable the system's automated acceleration control. As an example, they might decide to use the accelerator to accelerate even faster in certain situations.

For further versatility and peace of mind, this function gives drivers the option to manually bypass the system in certain scenarios. Future iterations of the system may also include adaptive algorithms that pick up on users' driving habits and frequent purchases. The technology adjusts

acceleration control using machine learning that takes into account both past driving habits and current road conditions. By studying how drivers use the system, this adaptive model makes it more efficient, which in turn improves safety and the user experience. In sum, this method offers a practical approach to addressing the issue of sleepy driving by using AI technology.

The system's adaptive control mechanisms, real-time monitoring, and visual statistics processing make it possible to detect and mitigate the dangers of driver weariness.


The success of such systems has the potential to improve transportation safety for everyone involved, cut down on accidents, and ultimately save lives. In addition, the system's efficiency is further improved by integrating Raspberry Pi as the primary control unit.

The Raspberry Pi's combination of tiny form factor, low power consumption, and computing capabilities makes it a perfect platform for integrating AI algorithms and processing images in real-time.

Because of its mobility, the system may be easily integrated with various sensors and peripherals, allowing it to adapt to different car designs and environments. Additionally, Raspberry Pi is based on an open-source model, which allows developers to easily share and receive help from others to improve the system's functionality and performance over time. An eye and facial area may be located in a live video feed by using a form predictor.

Figure 2 shows the degree of sleepiness, which was calculated by taking the pupil size, dividing it by the distance between the pupils, feeding the results into an existing dataset, and then identifying face landmarks. Each video sequence has its own set of eye markers. The calibration is based on the eye's width to height ratio.

Figure 2. Eye Detection



It takes several video frames to calculate the Equivalent Average Rate (EAR) [15]. It shows one blink.

$$EAR = \frac{||P2-P6|| + ||P3-P5||}{2||P1-P4||} \quad (1)$$

The two-dimensional landmark location is denoted by P1,..., P6, as seen in Figure 2. When both eyes are open, the Eye Aspect Ratio (EAR) is quite constant; when both eyes are closed, it approaches zero. The EAR stays within the typical range while the subject maintains a steady gaze at the camera. An very low EAR, as occurs when a driver shuts their eyes for an extended period of time, is indicative of sleepiness.

Figure 3. Raspberry Pi



When it comes to innovative, low-cost computing solutions, the Raspberry Pi 3 Model B is unrivaled. This little yet powerful gadget is so unorthodox in its design that it challenges all expectations. Raspberry Pi, in contrast to conventional computers, is not packaged in a fancy casing but rather appears as a simple, credit card-sized circuit board. There is a plethora of computational power housed within this little gadget, yet its simple exterior belies its true potential.


The Raspberry Pi, which looks like a motherboard, displays its setup chips and ports in a manner that is similar to the internal circuitry seen in a standard computer or laptop. What really makes Raspberry Pi stand out, though, is its multi-functionality. With it, users can attach all the necessary input/output devices and storage units, allowing them to dive headfirst into the computing arena. Raspberry Pi is great for anyone with a broad range of skill levels, from beginners to experts, thanks to its versatile design and relatively simple layout. Because of its cheap cost and little resource requirements, it is the ideal solution for expanding computer activities in low-income areas where connection to the internet may be restricted or expensive.

For STEM classes, Raspberry Pi offers a scalable, low-cost computer platform. Webcams are small video cameras that may transmit live video or still images to a network of computers, phones, and tablets across a medium such as the Internet. Webcams are often tiny and bendable; they may sit on a desk, be attached to a display, or built into hardware. Raspberry Pi is so more than just hardware; it is an affordable and flexible platform for computing.

Raspberry Pi has changed the way people think about computers and information since it is cheap, small, and powerful. In the ever-changing world of technology, Raspberry Pi remains a powerful tool that empowers individuals worldwide, whether it's for education, concept

testing, or making a difference. It breaks down barriers and opens doors to new possibilities.

Figure 5. Complete Hardware Kit



Raspberry Pi is a beacon for the future, beckoning us to create a more equitable society with individuals proficient in tomorrow's technology and more equal opportunity for all. They make it possible to have live video and audio chats, generally using compressed codecs to make streaming more efficient. Webcams are cost-effective and suitable for a variety of uses, despite having lower resolution than handheld video cameras. In Fig. 5 we can see the whole project hardware bundle. IV.

#### IV. RESULT AND DISCUSSIONS

One such device that aims to combat driver fatigue—the leading cause of road accidents—is the Advanced Drowsiness Detection device (ADDSD). Drivers' ear and face detection systems utilize it to gauge their degree of sleepiness, with the Raspberry Pi serving as the controller. The driver's face is recognized using the Haar Cascade algorithm, which helps to eliminate light and sound interference. In order to characterize the likelihood of sleepiness, the system uses EAR values to calculate eye closure rates. If the system detects that the driver is too sleepy to safely

operate the vehicle, it will alert them with a beep tone and turn off the vehicle's controls.

TABLE I. EAR Analysis Table

| EAR Range              | Driver State    | Action Taken             | Detection Confidence (%) |
|------------------------|-----------------|--------------------------|--------------------------|
| $EAR > 0.25$           | Alert           | No action                | 99%                      |
| $0.15 < EAR \leq 0.25$ | Drowsy (Mild)   | Audio Alert              | 95%                      |
| $EAR \leq 0.15$        | Drowsy (Severe) | Vehicle Speed Modulation | 97%                      |

Figure 6. Graph for EAR Detection Confidence




Table I and Figure 6 show how the EAR value dictates whether the driver is sleepy. In order to record the vehicle's motion and provide the ADDSD with real-time input based on the road conditions, an accelerometer is included. Access to emergency response teams or fleet managers may be facilitated by real-time contact with other systems made possible by this data, allowing for efficient and speedy emergency management. For the purpose of evaluating and exchanging data on driving behavior, the ADDSD is compatible with cloud-based systems.

With this capabilities, the ADDSD will play a crucial role in facilitating future advancements in car safety. Machine learning (ML) has the ability to handle massive datasets including real-life situations in order to enhance performance and anomaly detection, which bodes well for the system's future. Table II below shows the time

spent by each step of the model to identify tiredness. The suggested model processes and triggers the alarm in under 110 milliseconds if the driver is determined to be sleepy.

TABLE II. Real-Time Detection Latency Table

| Stage                     | Processing Time (ms) | Cumulative Time (ms) |
|---------------------------|----------------------|----------------------|
| Image Capture             | 20                   | 20                   |
| Facial Landmark Detection | 50                   | 70                   |
| EAR Calculation           | 30                   | 100                  |
| Alert Trigger             | 10                   | 110                  |


In comparison to earlier systems, the ADDS has better architecture, lower costs, and more scalability. It is easy to incorporate into many contexts because to its portable nature and ability to work in different settings. An enormous step forward in improving driver and passenger safety, the ADDS has a 97% detection rate and can intervene in real-time.

The ADDS exemplifies how cars might use algorithms and technology to actively contribute to road safety by analyzing real-time data and reducing dangers caused by driver weariness. Its ability to be built as a system that can adapt and change over time using big data analytics is another reason why it is seen as a forward-thinking breakthrough in the field of automotive safety. The suggested model outperforms the already known models, as seen in Table III and Figure 7. There will be many fewer traffic accidents thanks to this method.

TABLE III. Comparison Table

| Ref. No.      | Models/ Methods                            | Accuracy (%) |
|---------------|--------------------------------------------|--------------|
| [1]           | Facial motion entropy                      | 90           |
| [7]           | Convolutional Neural Networks              | 95           |
| [8]           | AI-based multimodal fusion                 | 92           |
| [9]           | Combines visual and physiological features | 93           |
| [11]          | Efficient face descriptors                 | 95           |
| [14]          | Machine learning algorithm                 | 96           |
| Proposed Work | EAR metrics                                | 97           |

Figure 7. Graph for comparison of Existing and Proposed work



## V. CONCLUSION

This system utilizes facial recognition and the Haar Cascade algorithm to detect and notify sleepy drivers in real-time, with the goal of improving road safety. The technology detects driver sleepiness by analyzing video frames in real-time using a digital camera to identify important features including the driver's face and the region around their eyes.

A wide range of vehicles, including commercial trucks, private automobiles, and even public transit systems, may benefit from the sleepy driver warning system's adaptability and portability. Because of its modular construction, it is compatible with preexisting vehicle safety systems and can be readily incorporated into programs that monitor drivers and solutions that manage fleets.

The system detects and prevents driver sleepiness via the use of face and eye recognition technologies, real-time monitoring, and advanced algorithms. This enhances automobile safety and road safety measures. This innovative system alerts the driver anytime he starts to feel sleepy, with the goal of reducing accidents caused by distracted driving and making the world a safer place. Reducing accidents caused by sleepy drivers is one of the system's distinctive benefits, which also makes the world a safer place.

## REFERENCES

1. You F., Gong Y., Tu H., Liang J., Wang H. A fatigue driving detection algorithm based on facial motion information entropy. *J. Adv. Transp.* 2020; 2020:1–17. doi:10.1155/2020/8851485.
2. National Highway Traffic Safety Administration Drowsy Driving. [(accessed on 10 May 2021)]; Available online: <https://www.nhtsa.gov/risky-driving/drowsy-driving>
3. Ramzan M., Khan H.U., Awan S.M., Ismail A., Ilyas M., Mahmood A. A survey on state-of-the-art drowsiness detection techniques. *IEEE Access*.2019; 7:6190461919. doi: 10.1109/ACCESS. 2019. 2914373
4. Sikander G., Anwar S. Driver fatigue detection systems: A review. *IEEE Trans. Intell. Transp. Syst.* 2018; 20:2339–2352. doi: 10.1109/TITS.2018.2868499.
5. Ukwuoma C.C., Bo C. Deep Learning Review on Drivers Drowsiness Detection; Proceedings of the 2019 4th Technology Innovation Management and Engineering Science International Conference (TIMES-iCON); Bangkok, Thailand.11–13 December 2019; pp.1–5.
6. Knapik M., Cyganek B. Driver's fatigue recognition based on yawn detection in thermal images. *Neurocomputing*. 2019;338:274–292. doi: 10.1016/j.neucom.2019.02.014.
7. Liu W., Qian J., Yao Z., Jiao X., Pan J. Convolutional two-stream network using multi-facial feature fusion for driver fatigue detection. *Future Internet*. 2019;11:115. doi: 10.3390/fi11050115.
8. Sunagawa M., Shikii S., Nakai W., Mochizuki M., Kusakame K., Kitajima H. Comprehensive Drowsiness Level Detection Model Combining Multimodal Information. *IEEE Sens. J.* 2020;20:3709–3717. doi: 10.1109/JSEN.2019.2960158.
9. Mehreen A., Anwar S.M., Haseeb M., Majid M., Ullah M.O. A hybrid scheme for drowsiness detection using wearable sensors. *IEEE Sens. J.* 2019;19:5119–5126. doi: 10.1109/JSEN.2019.2904222.
10. Bamidele A., Kamardin K., Syazarin N., Mohd S., Shafi I., Azizan A., Aini N., Mad H. Non-intrusive driver drowsiness detection based on face and eye tracking. *Int J. Adv. Comput. Sci. Appl.* 2019;10:549–569. doi: 10.14569/IJACSA.2019.0100775.
11. Moujahid A., Dornaika F., Arganda-Carreras I., Reta J. Efficient and compact face descriptor for driver drowsiness detection. *Expert Syst. Appl.* 2021;168:114334. doi: 10.1016/j.eswa.2020.114334.
12. Abbas Q., Alsheddy A. Driver fatigue detection systems using multi sensors, smartphone, and cloud-based computing platforms: A comparative analysis. *Sensors*. 2021;21:56. doi: 10.3390/s21010056.
13. Altameem A., Kumar A., Poonia R.C., Kumar S., Saudagar A.K.J. Early Identification and Detection of Driver Drowsiness by Hybrid Machine Learning. *IEEE Access*. 2021;9:162805–162819. doi: 10.1109/ACCESS.2021.3131601.
14. Gwak J., Hirao A., Shino M. An investigation of early detection of driver drowsiness using ensemble machine learning on hybrid sensing. *Appl.Sci.*2020;10:2890.doi:10.3390/app10082890.
15. Christine Dewi, Rung-Ching Chen, Chun-Wei Chang, Shih-Hung Wu, Xiaoyi Jiang, Hui Yu, Eye Aspect Ratio for Real-Time Drowsiness Detection to Improve Driver Safety. *Electronics* 2022, 11(19), 3183; <https://doi.org/10.3390/electronics11193183>