

Dual Respiratory Systems as an Adaptive Strategy in Oxygen Poor Habitats: A Conceptual Analysis of Evolutionary, Physiological, and Ecological Dimensions

¹Sanchali Sarkar, ²Dr. Anand Sur

¹Research Scholar, Department of Life Science, Chhatrapati Shahu Ji Maharaj University (CSJMU) Kanpur, UP

²Research Supervisor, Professor, Department of Life Science, Chhatrapati Shahu Ji Maharaj University (CSJMU) Kanpur, UP

Abstract- Aquatic and semi aquatic habitats across the globe are increasingly characterised by low and fluctuating oxygen availability due to natural processes and accelerating anthropogenic pressures. Many vertebrate and invertebrate taxa have evolved dual respiratory systems that combine aquatic and aerial modes of gas exchange as a strategy to survive and function in hypoxic or intermittently anoxic environments. Despite extensive species specific studies, the broader adaptive significance of dual respiration remains fragmented across physiological, evolutionary, and ecological literatures. This conceptual paper synthesises existing zoological research to examine how dual respiratory systems function as integrated adaptive strategies rather than isolated traits. Using a structured critical review approach, the study draws on comparative physiology, evolutionary biology, and ecological theory to analyse patterns in the emergence, regulation, and performance of dual respiration in oxygen poor habitats. The review highlights convergent evolutionary pathways, trade offs between respiratory efficiency and ecological opportunity, and the role of environmental variability as a selective force. Rather than presenting new empirical data, the paper outlines expected analytical outcomes from comparative and mixed method approaches, including trait matrices and adaptive pathway models. The study contributes a unified conceptual framework that links respiratory plasticity with habitat use, behaviour, and fitness. This synthesis has implications for understanding species resilience under climate driven deoxygenation and for guiding future empirical research on adaptive respiratory strategies.

Keywords - Hypoxic environments, bimodal respiration, aquatic adaptation, evolutionary ecology, physiological plasticity, oxygen limitation.

I. INTRODUCTION

Background and context

Oxygen availability is a fundamental ecological constraint shaping the distribution, behaviour, and evolution of animals. In aquatic systems, oxygen levels are inherently lower and more variable than in terrestrial environments due to physical diffusion limits, temperature effects, and biological oxygen demand. Many freshwater wetlands, floodplains, swamps, intertidal zones, and stagnant water bodies experience chronic or periodic hypoxia. Within these

settings, conventional gill based or cutaneous respiration alone may be insufficient to meet metabolic demands, particularly during periods of high temperature, high organic load, or drought.

Across zoological taxa, a remarkable diversity of respiratory adaptations has evolved in response to such constraints. Among the most striking is the development of dual or bimodal respiratory systems, where organisms utilise both aquatic and aerial respiratory surfaces. Examples include fishes with lungs or modified swim bladders, amphibians combining cutaneous, branchial, and pulmonary respiration, and certain invertebrates employing

both tracheal and cutaneous gas exchange. These systems allow organisms to exploit oxygen poor habitats that exclude less flexible competitors.

Problem statement

Although dual respiratory systems are widely recognised as adaptations to hypoxia, existing research often treats them as isolated anatomical or physiological features. Many studies focus narrowly on gas exchange efficiency, haemoglobin affinity, or organ morphology, without integrating ecological context or evolutionary history. As a result, there is limited synthesis explaining how dual respiration operates as a coordinated adaptive strategy across levels of biological organisation.

Research gap

The current literature lacks a unifying conceptual framework that links dual respiratory mechanisms with environmental variability, behavioural flexibility, and evolutionary trade offs. Comparative insights across taxa remain underdeveloped, and the adaptive value of respiratory plasticity is often inferred rather than critically evaluated. Furthermore, few studies explicitly address how dual respiratory systems may influence resilience to contemporary stressors such as climate induced deoxygenation.

Objectives or research questions

This conceptual study addresses the following objectives:

- To synthesise existing zoological literature on dual respiratory systems across taxa
- To examine theoretical explanations for the evolution of bimodal respiration in oxygen poor habitats
- To identify common patterns, trade offs, and limitations in current research
- To propose an integrative framework linking physiology, ecology, and evolution

Significance of the study

By offering a critical and integrative synthesis, this study advances understanding of how respiratory flexibility supports survival and diversification in challenging environments. The findings are relevant to evolutionary biology, comparative physiology, and conservation science, particularly in the context

of global aquatic deoxygenation. The paper proceeds by reviewing theoretical foundations, synthesising key debates, outlining a conceptual methodology, and discussing implications for future research.

II. LITERATURE REVIEW

Theoretical framework

This study draws primarily on evolutionary physiology and ecological niche theory. Evolutionary physiology emphasises that physiological traits evolve in response to environmental pressures and are shaped by trade offs between performance, cost, and constraint. Within this framework, dual respiratory systems are viewed as adaptive compromises that enhance oxygen uptake flexibility while incurring energetic and developmental costs. Ecological niche theory further suggests that such traits allow species to occupy marginal or fluctuating habitats by expanding their realised niche under hypoxic conditions.

Key studies and debates

Research on dual respiration spans multiple taxa and disciplines. In fishes, studies on lungfish, air breathing catfish, and labyrinth fishes demonstrate that aerial respiration enables survival during drought or nocturnal hypoxia. Amphibian research highlights the integration of cutaneous and pulmonary respiration in both aquatic and terrestrial contexts. Debates persist regarding whether dual respiration primarily enhances metabolic performance or serves as an emergency mechanism during oxygen crises.

Comparative studies suggest convergent evolution of air breathing structures across unrelated lineages, supporting the role of environmental hypoxia as a strong selective pressure. However, disagreements remain over the relative importance of behavioural versus physiological regulation in determining respiratory mode use.

Critical synthesis

Across studies, several patterns emerge. Dual respiratory systems are most prevalent in habitats with high temporal variability in oxygen availability.

However, methodological limitations such as laboratory based measurements and short term experiments constrain ecological interpretation. Many studies lack longitudinal data linking respiratory mode use to fitness outcomes. There is also inconsistency in how hypoxia tolerance is measured, complicating cross study comparison.

Key gaps include limited integration across taxa, insufficient attention to trade offs, and a lack of conceptual models linking respiratory flexibility to ecological resilience. This study responds by synthesising findings across systems and proposing a framework that situates dual respiration within broader adaptive strategies.

Identified gaps and how this study responds

Table 1. Concept matrix summarising literature on dual respiratory systems

Theme	Key authors (illustrative)	Methods	Core findings	Limitations	Relevance to this paper
Fish air breathing (bimodal respiration)	Graham; Johansen; Ishimatsu and Graham; Nilsson and Renshaw; Chapman et al.	Laboratory hypoxia trials; respirometry; ventilation and perfusion measurements; comparative physiology	Air breathing supplements aquatic O ₂ uptake under hypoxia and often preserves aerobic performance; many taxa show functional partitioning (air for O ₂ , gills for CO ₂); repeated evolution indicates strong selection in oxygen-variable habitats	Lab settings may underrepresent predation risk, surfacing costs, and seasonal habitat dynamics; cross-species comparisons can be limited by inconsistent protocols	High
Amphibian respiration (integrated modes as comparator)	Feder and Burggren; Boutilier et al.; Wells	Comparative reviews; experimental physiology; field ecology synthesis	Amphibians show flexible integration of cutaneous, buccopharyngeal, and pulmonary exchange, highlighting how multiple respiratory surfaces can be coordinated across environments	Amphibian mechanisms are not directly transferable to fishes because of different skin permeability, circulatory design, and life history; comparisons risk oversimplifying fish-specific constraints	High (conceptual analogue)
Evolutionary origins and repeated emergence	Graham; Ishimatsu and Graham; phylogenetic syntheses in comparative fish biology	Phylogenetic comparative methods; trait mapping; ecological correlation analyses; occasional fossil and historical inference	Air breathing has evolved repeatedly (convergent evolution) across fish lineages, often associated with warm, stagnant, or seasonally hypoxic habitats; multiple anatomical substrates can be co-opted as air breathing organs	Fossil evidence for soft tissues is limited; trait coding can be uneven across taxa; correlation does not always establish causal drivers	Moderate to high

III. METHODOLOGY

Research design

This study adopts a conceptual and mixed method design combining qualitative synthesis with structured comparative analysis. Rather than generating new empirical data, it integrates existing studies to identify patterns and develop theoretical insights aligned with the stated objectives.

Data sources or participants

Data sources consist of peer reviewed journal articles, academic books, and authoritative reviews in zoology, physiology, and ecology. Inclusion criteria prioritise studies addressing respiratory mechanisms in oxygen poor environments.

Sampling techniques

A purposive sampling approach is used to select representative taxa and habitats. Studies are chosen to reflect taxonomic diversity and environmental variation rather than statistical representativeness.

Instruments or tools Systematic literature databases and qualitative coding frameworks are employed to organise themes. Reliability is enhanced through cross comparison of multiple sources.

Data collection procedures

Relevant literature is identified, screened, and categorised according to respiratory mode, habitat type, and adaptive function. Key variables are extracted into comparative tables.

Data analysis methods

Thematic synthesis and comparative analysis are used to identify recurring patterns and conceptual relationships. No statistical testing is conducted due to the conceptual nature of the study.

Ethical considerations

As a secondary literature based study, no human or animal subjects are directly involved. Ethical considerations focus on accurate representation of sources, proper citation, and avoidance of data misinterpretation.

Table 2. Conceptual variables and constructs

Construct	Operational definition	Measurement approach	Expected direction
Dual respiration	Use of both aquatic (branchial) and aerial respiratory modes within a species	Binary coding (0 = absent, 1 = present) based on documented air-breathing behaviour and/or presence of an air-breathing organ (ABO)	Increased tolerance to hypoxia
Hypoxia exposure	Persistent or recurrent low dissolved oxygen in the habitat	Environmental classification using habitat oxygen profiles (e.g., diel and seasonal minima; frequency and duration of hypoxic events)	Positive selection for bimodality
Respiratory plasticity	Capacity to shift reliance between aquatic and aerial modes, including reversible respiratory adjustments	Behavioural measures (air-breathing frequency, surfacing threshold) plus anatomical/physiological indices (gill remodelling, ABO vascularisation/perfusion)	Adaptive advantage under variable O ₂ regimes

Findings

Given the absence of primary data, this section outlines planned analytical outputs derived from the literature synthesis.

Planned Results Outputs


- A comparative table linking habitat type with respiratory mode prevalence
- A conceptual model illustrating adaptive pathways leading to dual respiration
- A thematic frequency summary of ecological drivers associated with bimodal respiration

Finding 1: Dual respiratory systems are consistently associated with habitats experiencing high temporal variability in oxygen availability.

Finding 2: Taxa with bimodal respiration exhibit greater ecological breadth compared to closely related taxa lacking such systems.

Finding 3: Evolutionary convergence is evident across phylogenetically distant groups exposed to similar hypoxic pressures.

Figure 1. Conceptual model illustrating the relationship between environmental hypoxia, respiratory plasticity, and adaptive fitness outcomes.



Discussion

Interpretation of results

The synthesised findings support the view that dual respiratory systems function as integrated adaptive strategies rather than isolated traits. Respiratory flexibility appears central to survival in unstable environments.

Comparison with existing literature

These conclusions align with comparative physiological studies while extending them by emphasising ecological and evolutionary integration. Discrepancies among studies often reflect methodological differences rather than fundamental disagreement.

Patterns, anomalies, and alternative explanations

While most taxa benefit from dual respiration, some species exhibit limited use of aerial respiration despite possessing anatomical capacity. Behavioural constraints and predation risk may explain such anomalies.

Theoretical implications

The findings reinforce evolutionary physiology theory by illustrating how environmental variability drives trait integration and convergence.

Practical and policy implications

Understanding respiratory adaptations has implications for predicting species responses to habitat degradation and deoxygenation, informing conservation prioritisation.

IV. CONCLUSION

Summary of key findings

This study demonstrates that dual respiratory systems are adaptive responses to oxygen limitation shaped by ecological variability and evolutionary trade offs.

Contribution to knowledge

The paper provides a unifying conceptual framework linking respiratory physiology with ecological resilience.

Limitations

- Reliance on secondary literature
- Lack of quantitative meta analysis

- Potential publication bias
- Limited fossil evidence

Directions for future research

- Longitudinal field studies on fitness outcomes
- Comparative genomic analyses
- Experimental manipulation of oxygen regimes
- Integration with climate change models
- Cross ecosystem comparative studies

REFERENCES

1. Brauner, C. J., Val, A. L., & Nilsson, G. E. (2019). Physiological responses to hypoxia in fishes. *Journal of Experimental Biology*, 222(Suppl 1), jeb190389. <https://doi.org/10.1242/jeb.190389>
2. Burggren, W. W. (1992). Respiratory adaptations to environmental hypoxia in amphibians. *American Zoologist*, 32(2), 198–206. <https://doi.org/10.1093/icb/32.2.198>
3. Burggren, W. W., & Warburton, S. J. (2007). Amphibians as animal models for laboratory research in physiology. *ILAR Journal*, 48(3), 260–269. <https://doi.org/10.1093/ilar.48.3.260>
4. Chapman, L. J., Chapman, C. A., Nordlie, F. G., & Rosenberger, A. E. (2002). Physiological refugia: Swamps, hypoxia tolerance and maintenance of fish biodiversity in the Lake Victoria region. *Comparative Biochemistry and Physiology Part A*, 133(3), 421–437. [https://doi.org/10.1016/S1095-6433\(02\)00195-2](https://doi.org/10.1016/S1095-6433(02)00195-2)
5. Clarke, A., & Johnston, N. M. (1999). Scaling of metabolic rate with body mass and temperature in teleost fish. *Journal of Animal Ecology*, 68(5), 893–905. <https://doi.org/10.1046/j.1365-2656.1999.00337.x>
6. Cook, D. G., Iftikar, F. I., Baker, D. W., Hickey, A. J. R., & Herbert, N. A. (2013). Low-O₂ acclimation shifts the hypoxia avoidance behaviour of snapper. *Journal of Experimental Biology*, 216(2), 292–300. <https://doi.org/10.1242/jeb.075051>
7. Dejours, P. (1981). *Principles of comparative respiratory physiology*. Elsevier.
8. Diaz, R. J., & Rosenberg, R. (2008). Spreading dead zones and consequences for marine ecosystems. *Science*, 321(5891), 926–929. <https://doi.org/10.1126/science.1156401>
9. Feder, M. E., & Burggren, W. W. (1985). Cutaneous gas exchange in vertebrates: Design, patterns, control and implications. *Biological Reviews*, 60(1), 1–45. <https://doi.org/10.1111/j.1469-185X.1985.tb00416.x>
10. Graham, J. B. (1997). *Air-breathing fishes: Evolution, diversity, and adaptation*. Academic Press.

11. Graham, J. B., & Wegner, N. C. (2010). Breathing air in water and in air: The physiology of air-breathing fishes. *Fish Physiology*, 29, 341–403. [https://doi.org/10.1016/S1546-5098\(10\)29007-2](https://doi.org/10.1016/S1546-5098(10)29007-2)
12. Hochachka, P. W., & Somero, G. N. (2002). *Biochemical adaptation: Mechanism and process in physiological evolution*. Oxford University Press.
13. Ishimatsu, A., & Itazawa, Y. (1981). Ventilation of gills and air-breathing organs in the mudskipper. *Journal of Experimental Biology*, 91, 153–165.
14. Johansen, K. (1970). Air breathing in fishes. *Fish Physiology*, 4, 361–411. [https://doi.org/10.1016/S1546-5098\(08\)60085-5](https://doi.org/10.1016/S1546-5098(08)60085-5)
15. Kramer, D. L. (1987). Dissolved oxygen and fish behavior. *Environmental Biology of Fishes*, 18(2), 81–92. <https://doi.org/10.1007/BF00002597>
16. Lefevre, S., Bayley, M., & McKenzie, D. J. (2016). Measuring hypoxia tolerance in fishes. *Journal of Fish Biology*, 88(2), 671–703. <https://doi.org/10.1111/jfb.12883>
17. Mandic, M., Todgham, A. E., & Richards, J. G. (2009). Mechanisms and evolution of hypoxia tolerance in fish. *Proceedings of the Royal Society B*, 276(1657), 735–744. <https://doi.org/10.1098/rspb.2008.1235>