

Environmental Pollution and the Harmful Effects of Pollutants on the Ecosystem

Odioko Mercy Obianuju¹, Patrick O. Nwosibe², Paul Nnamdi Ogbu³, Olubunmi Abiola Adewusi⁴,
Tasie Chimezie Michael⁵, Ibrahim Gadaka Kizito⁶, Onwugbuta Godpower Chukwuemeka⁷,
Adamu Musa Dagare⁸, Erienu Obruche Kennedy⁹

¹Department of Environmental Sciences, Federal Polytechnic, Ugep

²Department of Petroleum and Gas Engineering, Federal Polytechnic, Isuochi

³Department of Science Laboratory Technology, Imo State Polytechnic, Omuma

⁴Department of Chemistry, Lagos State University, Ojo, Lagos State, Nigeria

⁵Department of Agricultural Economics, Ignatius Ajuru University of Education, Port Harcourt

⁶Department of Chemistry, Umar Suleiman College of Education, Yobe State, Nigeria.

⁷Department of Biochemistry/Chemistry Technology, University of Port Harcourt, River State

⁸Department of Geography, Yobe State Ministry of Education, Nigeria.

⁹Department of Chemistry, Delta State College of Education, Mosogar, Delta State, Nigeria.

Abstract- Environmental pollution is a major global concern arising from increasing industrialization, urbanization, agricultural activities, transportation, petroleum exploration, mining and improper waste disposal. This research work examines environmental pollution and the harmful effects of pollutants on ecosystem components, with emphasis on their sources, environmental fate, transport and ecological consequences. Major forms of pollution, including air, water and soil pollution, are discussed alongside important pollutants such as heavy metals, petroleum hydrocarbons, pesticides, nutrients, plastics and other hazardous substances. This review highlights how pollutants alter soil properties, water quality and atmospheric conditions and affect plants, animals and microorganisms. Particular attention is given to bioaccumulation, biomagnification, biodiversity loss and disruption of ecosystem functions. The potential implications of environmental pollution for human health and ecosystem sustainability are also examined. Furthermore, pollution prevention, monitoring, remediation and ecosystem restoration strategies are considered, including physical, chemical, biological, phytoremediation and emerging nanotechnology-based approaches. This review emphasizes integrated and sustainable pollution-management practices to reduce environmental degradation, protect biodiversity and promote long-term ecosystem health.

Keywords: Environmental, Pollution, Pollutants, Ecosystem.

I. INTRODUCTION

The environment provides the essential resources required to sustain life, including air, water, soil, food, minerals and other natural resources (Tam et al., 2023). The continued existence and wellbeing of humans, plants, animals and microorganisms depend on the proper functioning of these environmental components. However, increasing population growth, urbanization, industrialization, agricultural activities, mining, transportation and the exploitation of natural resources have intensified pressure on the environment (Ekpo et al., 2025). One of the major consequences of these activities is environmental pollution, which has become a significant global concern because of its effects on

environmental quality, biodiversity, ecosystem functioning and human wellbeing.

Environmental pollution occurs when harmful substances or forms of energy are introduced into the environment at levels capable of producing undesirable changes. Pollutants may be released directly into the atmosphere, soil or water, or may move between environmental compartments through natural processes such as runoff, leaching, volatilization, sedimentation and atmospheric deposition (Tudi et al., 2021). Some pollutants occur naturally, whereas many others are generated or released through human activities. The increasing volume and diversity of anthropogenic pollutants have made environmental contamination more

complex and difficult to manage. The major forms of environmental pollution include air, water and soil pollution, while other forms include noise, thermal, radioactive and plastic pollution (Odimgbe et al., 2026).

These forms of pollution are closely interconnected because contamination of one environmental compartment can influence the quality of another. For example, pollutants released into the atmosphere can be deposited on soil and water, while contaminants present in soil can migrate into groundwater or surface water (Ekpo et al., 2023). Similarly, pollutants in aquatic environments can accumulate in sediments and subsequently enter aquatic food chains. This interconnected nature of environmental systems means that the effects of pollution may extend considerably beyond the location where contaminants are initially released (Villarrubia-Gómez et al., 2024). The sources of environmental pollutants are diverse and include industrial activities, agricultural practices, petroleum exploration and production, mining, transportation, domestic activities, municipal waste disposal and wastewater discharge (Ikechukwu et al., 2026).

Industrial activities may release heavy metals, petroleum hydrocarbons, particulate matter, solvents and other chemical substances. Agricultural activities contribute pesticides, herbicides, fertilizers and animal wastes, while petroleum-related activities can introduce crude oil and petroleum-derived compounds into soil and water. Improper disposal of municipal and domestic waste also contributes significantly to environmental contamination, particularly in rapidly growing urban and industrial communities (Abubakar et al., 2022). Among the pollutants of environmental concern are heavy metals, petroleum hydrocarbons, pesticides, nutrients, plastics, persistent organic pollutants and pathogenic microorganisms. Their environmental significance depends on characteristics such as toxicity, persistence, mobility, concentration and bioavailability. Some pollutants can be degraded naturally, while others may persist for long periods.

Persistent pollutants can accumulate in soil, sediments and living organisms, thereby increasing

the possibility of long-term ecological exposure. Certain contaminants can also undergo bioaccumulation and biomagnification, allowing them to move through food chains and potentially affect organisms at higher trophic levels. Pollution can substantially alter the physical, chemical and biological characteristics of environmental systems (Umanah et al., 2025). In soil, contaminants may modify pH, nutrient availability, organic matter, microbial activity and soil structure (Samuel et al., 2023). Petroleum contamination, for instance, can interfere with soil aeration, water movement and nutrient availability, thereby reducing the suitability of soil for plant establishment and growth. Heavy metals may affect microbial processes and interfere with nutrient cycling.

Similarly, excessive pesticide and fertilizer application can disturb soil biological communities and contribute to the contamination of nearby water resources (Sarah et al., 2026). Water pollution can affect the quality and ecological integrity of rivers, streams, lakes, groundwater and other aquatic environments. The introduction of organic matter, nutrients, petroleum hydrocarbons, heavy metals and other contaminants can alter pH, turbidity, dissolved oxygen and other water-quality characteristics. Excessive nutrient enrichment may promote eutrophication, while toxic substances can directly affect fish, aquatic plants, microorganisms and other aquatic organisms (Abeokuta et al., 2025). Polluted water can also serve as a pathway through which contaminants are transported from one location to another. Air pollution is another major environmental concern.

Emissions from industries, vehicles, power generation, agricultural burning and waste combustion release gases and particulate matter into the atmosphere. Pollutants such as particulate matter, nitrogen oxides, sulphur dioxide, carbon monoxide and volatile organic compounds can affect atmospheric quality and may contribute to adverse ecological and human-health outcomes (Ugochukwu et al., 2025). Atmospheric pollutants can also be transported over considerable distances and subsequently deposited on terrestrial and aquatic ecosystems. The biological effects of

environmental pollution are equally important (Aib et al., 2025). Plants may absorb pollutants through their roots or leaves, leading to changes in germination, root development, plant height, leaf formation, photosynthesis and biomass production. Animals can be exposed through contaminated food, water, soil and sediments, potentially affecting growth, reproduction, behaviour and survival.

Microorganisms, which are essential for decomposition and nutrient cycling, may also experience changes in population abundance, diversity and metabolic activity following exposure to contaminants (Obruche et al., 2019; Micheal et al., 2026). Changes in these biological communities can ultimately affect ecosystem structure and functioning. Environmental pollution can further contribute to biodiversity loss and ecological imbalance. Pollution may create environmental conditions that favour tolerant species while reducing populations of sensitive organisms. Such changes can modify food webs, predator-prey relationships, nutrient cycling and other ecological processes (Itodo et al., 2021). The reduction of biodiversity may also decrease the resilience of ecosystems and their ability to recover from environmental disturbances (Moreno-Mateos et al., 2020; Umudi et al., 2025).

Consequently, pollution should not be viewed solely as the presence of contaminants but as a process capable of disrupting the relationships and functions that sustain ecosystems. The consequences of environmental pollution also extend to human populations. Humans can be exposed to environmental contaminants through inhalation, ingestion and dermal contact. Contaminated food and drinking water can provide important exposure pathways, particularly where pollutants accumulate in agricultural products or aquatic organisms (Obruche et al., 2019; Umudi et al., 2025). Communities located near industrial, mining, petroleum-producing and waste-disposal areas may experience increased environmental exposure.

The nature and severity of potential effects depend on the pollutant, concentration, exposure route, duration of exposure and characteristics of the

exposed population. The increasing complexity of environmental pollution has created a need for effective pollution prevention, monitoring, remediation and ecosystem restoration (Khanam et al., 2023; Nathan et al., 2025). Pollution prevention involves reducing the generation and release of contaminants at their sources through improved industrial processes, responsible agricultural practices, effective waste management and appropriate environmental regulations. Where contamination has already occurred, remediation may involve physical, chemical or biological approaches. Increasing attention has been directed toward sustainable technologies such as bioremediation, phytoremediation and nanotechnology-based remediation because of their potential to reduce contaminants while minimizing additional environmental damage (Erienu et al., 2022).

Therefore, understanding environmental pollution and its harmful effects on ecosystems is essential for developing appropriate strategies for environmental protection and sustainable resource management. A comprehensive assessment of pollutant sources, environmental fate, ecological effects, exposure pathways and remediation approaches provides a basis for addressing existing contamination and preventing future environmental degradation. This review consequently examines the concept and major forms of environmental pollution, sources and characteristics of pollutants, their fate and transport in the environment, effects on soil, water and air quality, impacts on plants, animals and microorganisms, bioaccumulation and biodiversity loss, ecological and human-health implications, and approaches for pollution control, remediation and ecosystem restoration.

II. CONCEPT AND TYPES OF ENVIRONMENTAL POLLUTION

Environmental pollution is one of the major environmental challenges associated with population growth, industrialization, urban development, agricultural intensification and increasing exploitation of natural resources (Obruche et al., 2025). It generally refers to the

introduction of undesirable substances, organisms, or forms of energy into the environment in concentrations capable of causing adverse changes to environmental quality and living organisms. Pollutants may alter the physical, chemical and biological characteristics of air, water and soil and may interfere with the natural functioning of ecosystems (Saxena, 2025).

Although some pollutants originate from natural processes such as volcanic eruptions, wildfires, erosion and decomposition, anthropogenic activities constitute major sources of persistent and widespread pollution. The environment is composed of interconnected components, including the atmosphere, hydrosphere, lithosphere and biosphere. Pollution in one component can therefore affect other components. For instance, contaminants released into the atmosphere can eventually be deposited on soil and water surfaces, while pollutants introduced into soil can migrate into groundwater or become available to plants (Festus-Amadi et al., 2021). Similarly, pollutants discharged into rivers can be transported downstream and accumulated in sediments and aquatic organisms. This interconnectedness makes environmental pollution a complex problem requiring an integrated approach (Umudi et al., 2025). Environmental pollution can be classified according to the environmental medium affected, the nature of the pollutant, or the source of contamination. The major forms include air, water and soil pollution, while other forms include noise, thermal, radioactive and plastic pollution.

Table 1: Major Types of Environmental Pollution and Their Characteristics

Type of pollution	Major pollutants	Common sources	Major environmental effects
Air pollution	Particulate matter, CO, SO ₂ , NO _x , VOCs	Industries, vehicles, burning, power generation	Respiratory effects, vegetation damage, climate effects
Water pollution	Petroleum hydrocarbons, heavy metals,	Industrial discharge, sewage, agriculture,	Aquatic toxicity, eutrophication

Type of pollution	Major pollutants	Common sources	Major environmental effects
	nutrients, pathogens	oil activities	, reduced water quality
Soil pollution	Heavy metals, petroleum hydrocarbons, pesticides, plastics	Industry, agriculture, waste disposal, petroleum activities	Reduced soil fertility, toxicity, microbial disruption
Noise pollution	Excessive sound energy	Traffic, industries, construction	Disturbance of humans and wildlife
Thermal pollution	Excess heat	Power plants, industries, wastewater discharge	Reduced dissolved oxygen and aquatic stress
Radioactive pollution	Radionuclides	Nuclear activities, mining, medical sources	Radiation exposure and ecological damage
Plastic pollution	Macroplastics, microplastics	Domestic waste, industry, fishing, packaging	Wildlife ingestion, habitat degradation and food-chain contamination

Table 1 and figure 1 demonstrates that environmental pollution occurs in several forms and that each form is associated with characteristic pollutants, sources and ecological consequences. Air, water and soil pollution are particularly interconnected. For example, petroleum hydrocarbons released during oil production can contaminate soil and groundwater, while volatile components may enter the atmosphere. Similarly, agricultural chemicals applied to soil may be transported through surface runoff into rivers and streams.

The table also illustrates that pollution effects extend beyond the environmental medium into which pollutants are initially introduced. Plastic materials discarded on land may eventually enter aquatic

systems, where they can fragment into microplastics. Heavy metals released into water may accumulate in sediments and subsequently become available to benthic organisms. Consequently, pollution classification is useful for analytical purposes, but environmental pollution should ultimately be understood as a connected system involving interactions among different environmental compartments.



Figure 1: illustration of various types of environmental pollution

Sources and Major Environmental Pollutants

Environmental pollutants originate from numerous natural and anthropogenic activities. Natural sources include volcanic eruptions, forest fires, weathering of rocks, natural oil seeps, dust storms and decomposition of organic materials (Okpanachi et al., 2025). However, human activities have significantly increased the quantity, diversity and distribution of many pollutants. Industrialization is one of the major sources of environmental contamination. Manufacturing and processing industries generate wastewater, gaseous emissions, particulate matter, solid waste and chemical residues (Awuchi et al., 2020; Itodo et al., 2021).

Depending on the industrial process, pollutants may include heavy metals, solvents, acids, alkalis, hydrocarbons and persistent organic compounds. Agriculture is another important source. Intensive agricultural practices involve the use of fertilizers, pesticides, herbicides and other agrochemicals. Excessive application of these materials can result in accumulation in soil and movement into surface and groundwater through runoff and leaching.

Agricultural activities can also introduce nutrients, sediments and animal wastes into water bodies. Petroleum exploration, production, transportation and processing are particularly important sources of environmental pollution in oil-producing regions. Accidental spills, pipeline leakage, operational discharges and improper handling of petroleum products may contaminate soil and water with total petroleum hydrocarbons and other petroleum-associated compounds. Municipal and domestic activities contribute substantial quantities of solid waste, wastewater, plastics, detergents and organic materials. Poor waste disposal practices can result in the uncontrolled release of contaminants into surrounding soil and water.

Table 2: Major Sources of Environmental Pollutants and Associated Contaminants

Source	Major pollutants	Principal environmental medium affected
Petroleum exploration and production	Crude oil, TPH, PAHs, heavy metals	Soil and water
Industrial activities	Heavy metals, solvents, acids, hydrocarbons	Air, soil and water
Agriculture	Pesticides, herbicides, fertilizers, nutrients	Soil and water
Transportation	CO, NO _x , SO ₂ , particulate matter, hydrocarbons	Air and soil
Mining	Heavy metals, acid mine drainage, sediments	Soil and water
Municipal waste	Plastics, organic waste, pathogens, chemicals	Soil and water
Domestic wastewater	Nutrients, detergents, pathogens, organic matter	Water
Open burning	Smoke, particulate matter, CO, VOCs	Air and soil
Construction	Dust, sediments, particulate matter	Air and water

Source	Major pollutants	Principal environmental medium affected
Electronic waste	Pb, Cd, Hg, Cr and organic contaminants	Soil and water

The information presented in Table 2 indicates that different human activities release distinct but sometimes overlapping groups of pollutants. Petroleum activities are strongly associated with hydrocarbon contamination, whereas agriculture contributes substantially to nutrient and pesticide pollution. Industrial activities are more diverse and may release both inorganic and organic contaminants.

The presence of heavy metals across several sources is particularly significant because metals do not readily undergo biological degradation. Their persistence means that they may remain in contaminated environments for extended periods. Petroleum hydrocarbons also represent an important group of contaminants because their environmental behaviour varies according to their molecular composition, volatility, solubility and persistence (Correia & Rasteiro, 2025). The diversity of pollutant sources demonstrates why pollution management cannot depend on a single intervention. Effective environmental protection requires source-specific controls, appropriate waste-management practices, environmental monitoring and remediation strategies suited to the nature of the contamination.

III. FATE AND TRANSPORT OF POLLUTANTS IN THE ENVIRONMENT

Following their release, pollutants do not necessarily remain at their original point of introduction (Jacintha et al., 2025). They may be transported through air, water and soil and may undergo physical, chemical and biological transformations. The processes determining the movement, persistence, transformation and availability of pollutants are collectively referred to as their environmental fate and transport. In soil, pollutants may be adsorbed onto mineral surfaces or soil

organic matter, dissolved in soil water, volatilized into the atmosphere, degraded by microorganisms, or transported through leaching and surface runoff. Soil pH is particularly important because it influences the chemical form, solubility and mobility of many contaminants. Soil organic matter can also influence the retention of organic pollutants and metals. Water serves as an important pathway for pollutant transport. Contaminants can be carried through rivers, streams, groundwater and stormwater systems. Some pollutants become associated with suspended particles and sediments, while soluble contaminants may remain in the water column (Obruche et al., 2018; Singh et al., 2024). Pollutants deposited in sediments can later be remobilized under changing environmental conditions.

Atmospheric pollutants can be transported by wind and may undergo chemical reactions before being deposited on terrestrial or aquatic surfaces. Volatile organic compounds, for example, may move considerable distances before degradation or deposition.

Table 3: Major Environmental Processes Affecting Pollutant Fate

Process	Description	Environmental significance
Adsorption	Attachment of pollutants to soil or sediment particles	Can reduce or increase pollutant mobility
Desorption	Release of pollutants from surfaces	May increase bioavailability
Leaching	Movement through soil with infiltrating water	Can contaminate groundwater
Runoff	Transport across land surfaces	Transfers pollutants to surface waters
Volatilization	Transfer from liquid/solid phase to air	Can increase atmospheric exposure
Biodegradation	Microbial breakdown of contaminants	Can reduce pollutant persistence
Photodegradation	Breakdown through sunlight	May reduce some contaminants

Process	Description	Environmental significance
Sedimentation	Deposition of pollutants with particles	Can concentrate contaminants in sediments
Bioaccumulation	Uptake and retention by organisms	Can increase biological exposure
Transformation	Conversion into other chemical forms	May reduce or increase toxicity

Table 3 shows that pollutant behaviour is governed by several interacting processes. Adsorption may immobilize contaminants temporarily, but changes in pH, moisture, temperature or chemical conditions can promote desorption and remobilization. Thus, the absence of pollutants from the water phase does not necessarily mean that contamination has been eliminated. Biodegradation is particularly important in the natural attenuation of organic contaminants. Microorganisms can use some petroleum hydrocarbons and other organic compounds as carbon or energy sources.

However, degradation rates depend on environmental conditions, including oxygen availability, temperature, moisture, nutrient status and the chemical structure of the contaminant. The fate of a pollutant also determines its ecological availability. A contaminant that is strongly bound to soil particles may have lower immediate bioavailability than one present in the dissolved phase. However, environmental changes can alter this relationship. Understanding pollutant fate and transport is therefore essential for accurate environmental risk assessment and for selecting appropriate remediation methods.

IV. EFFECTS OF POLLUTION ON SOIL, WATER AND AIR QUALITY

Pollution can cause significant deterioration of soil, water and atmospheric quality. These environmental compartments provide essential ecosystem services and support agricultural production, biodiversity and human activities.

Effects on Soil Quality

Soil is a major environmental receptor for pollutants. Contaminants may enter soil through atmospheric deposition, industrial discharge, agricultural chemicals, waste disposal, mining and petroleum spills. Soil contamination can alter pH, electrical conductivity, organic matter, nutrient availability, structure and microbial activity. Petroleum contamination can affect soil aeration and water infiltration and may interfere with plant root development (Mohanta et al., 2024). Hydrocarbon compounds may coat soil particles and reduce the availability of water and nutrients to plants. Heavy metals can also interfere with enzymatic activities and microbial processes involved in nutrient cycling.

Effects on Water Quality

Water pollution may result in physical, chemical and biological changes. Contaminants can increase turbidity, alter pH, reduce dissolved oxygen and introduce toxic substances. Excess nutrients may stimulate algal growth and contribute to eutrophication. Petroleum contamination can form surface films that interfere with gas exchange and light penetration. Toxic hydrocarbons may also affect fish, plankton, aquatic plants and microorganisms.

Effects on Air Quality

Air pollution occurs when gases, particles or biological materials accumulate in the atmosphere at concentrations that can cause adverse effects. Industrial emissions, combustion of fossil fuels, transportation and open burning are major anthropogenic sources. Particulate matter can reduce visibility and affect vegetation by depositing on leaf surfaces (Etus and Erienu, 2026). Gaseous pollutants such as sulphur dioxide and nitrogen oxides may contribute to acid deposition and atmospheric chemical reactions.

Table 4: Environmental Effects of Major Pollutant Groups

Pollutant group	Soil effects	Water effects	Air-related effects
Petroleum hydrocarbons	Reduced fertility and	Toxicity and reduced	Volatile emissions

Pollutant group	Soil effects	Water effects	Air-related effects
	microbial disruption	water quality	
Heavy metals	Toxicity and altered nutrient cycling	Aquatic toxicity and sediment contamination	Atmospheric deposition
Pesticides	Microbial and plant effects	Toxicity to aquatic organisms	Volatilization
Nutrients	Soil nutrient imbalance	Eutrophication	Indirect atmospheric effects
Plastics	Physical alteration and microplastic formation	Ingestion and habitat contamination	Microplastic/particle transport
Particulate matter	Deposition on soil	Increased turbidity after deposition	Reduced air quality
Pathogens	Soil biological contamination	Waterborne disease risks	Aerosol transmission in some settings

Table 4 and figure 2 highlights the interconnected effects of pollutants across environmental compartments. Petroleum hydrocarbons, for example, can contaminate soil and water while volatile fractions can contribute to atmospheric contamination. Similarly, pesticides applied to agricultural soils may be transported into water bodies and, in some circumstances, volatilize into the atmosphere.

The table further demonstrates that pollutant effects are not restricted to the environmental medium in which they originate. This supports the need for integrated environmental assessment. Monitoring soil alone may not adequately describe the environmental consequences of a contamination event if pollutants are simultaneously migrating into groundwater or being taken up by organisms.



Figure 2: Environmental Effects of Pollution on Soil, Water and Air

V. EFFECTS OF POLLUTANTS ON PLANTS, ANIMALS AND MICROORGANISMS

Plants, animals and microorganisms respond differently to environmental contaminants depending on pollutant concentration, exposure duration, species characteristics and environmental conditions.

Effects on Plants

Plants may absorb contaminants through roots, leaves or stems. Pollutants in soil can affect seed germination, root growth, shoot development, nutrient uptake and photosynthesis. Petroleum hydrocarbons may physically coat roots and interfere with water and nutrient uptake. Heavy metals can disrupt enzyme activities and induce oxidative stress (Fu & Xi, 2020). Contamination can also affect agricultural productivity. Reduced germination and poor vegetative development may ultimately result in lower biomass and crop yield. Consequently, the restoration of contaminated agricultural soils is important not only for ecological purposes but also for food production (Etus and Erienu, 2026).

Effects on Animals

Animals can be exposed through contaminated food, water, soil and sediments. Pollutants may affect growth, reproduction, immune responses, behaviour and survival (Ogwuche and Obruche, 2020). Aquatic organisms can be particularly exposed because

contaminants may remain dissolved in water or accumulate in sediments.

Effects on Microorganisms

Microorganisms play essential roles in decomposition, nutrient cycling, soil formation and pollutant transformation. Contamination can alter microbial population size, community composition and metabolic activity. Some sensitive microorganisms may decline, whereas organisms capable of tolerating or degrading particular pollutants may become more abundant.

Table 5: Effects of Environmental Pollutants on Major Biological Groups

Organism	Major exposure route	Potential effects
Plants	Roots, leaves, contaminated soil and water	Reduced germination, growth inhibition, nutrient imbalance
Fish	Water, sediments and food	Physiological stress, reduced growth and reproduction
Birds	Food, water and contaminated habitats	Bioaccumulation and reproductive effects
Soil invertebrates	Soil and organic matter	Reduced survival and altered behaviour
Microorganisms	Direct contact with contaminants	Changes in abundance, diversity and metabolic activity
Livestock	Food, soil and water	Contaminant accumulation and health effects
Aquatic plants	Water and sediments	Reduced growth and photosynthetic activity

The table 5 indicates that organisms can experience different effects depending on their ecological position and exposure pathways. Plants are directly exposed to contaminated soil and water, making plant growth an important indicator of soil quality. Soil microorganisms may respond rapidly to contamination because they interact directly with soil contaminants.

Animals may experience indirect exposure through food chains. A contaminant accumulated by plants or lower trophic organisms can subsequently become available to herbivores, predators and humans. The effects of pollution therefore extend beyond individual organisms and may influence ecological relationships and ecosystem functioning.

VI. BIOACCUMULATION, BIOMAGNIFICATION AND EFFECTS ON BIODIVERSITY

Bioaccumulation occurs when organisms take up contaminants faster than they can eliminate them. The process may occur through respiration, ingestion, dermal contact or uptake from contaminated environmental media. Bioaccumulation is particularly important for organisms that are persistent and difficult for organisms to metabolize or excrete. Biomagnification refers to the increase in contaminant concentration at successive trophic levels of a food chain (Oros, 2025). It means that organisms occupying higher trophic positions may receive contaminants through consumption of contaminated prey. Pollution can also reduce biodiversity. Sensitive species may disappear from contaminated environments while pollution-tolerant organisms become dominant. Changes in species composition can influence food-web interactions, competition, predation and nutrient cycling.

Table 6: Bioaccumulation, Biomagnification and Ecological Consequences

Process/effect	Description	Possible ecological consequence
Bioaccumulation	Build-up of contaminants within an organism	Increased internal exposure
Biomagnification	Increasing concentration through trophic levels	Greater exposure of higher predators
Species loss	Decline of sensitive organisms	Reduced biodiversity

Process/effect	Description	Possible ecological consequence
Community alteration	Change in abundance of species	Altered ecological interactions
Food-web disruption	Changes in predator-prey relationships	Reduced ecosystem stability
Reduced resilience	Lower ability to recover from stress	Increased vulnerability to disturbance

Table 6 demonstrates that the ecological significance of pollution goes beyond direct toxicity. A pollutant may initially affect a small group of organisms but subsequently produce broader effects through food-web interactions. Persistent contaminants may be transferred between trophic levels, thereby increasing exposure among organisms that consume contaminated prey.

Biodiversity loss can further affect ecosystem stability because different species perform different pollinators, decomposers, aquatic organisms or predators may therefore influence processes such as decomposition, nutrient cycling and energy transfer.

VII. ECOLOGICAL AND HUMAN HEALTH IMPLICATIONS OF ENVIRONMENTAL POLLUTION

Environmental pollution is closely associated with ecological degradation and human exposure to contaminants. Humans may be exposed through inhalation of polluted air, consumption of contaminated food and water, or direct contact with polluted soil and other environmental media (Mititelu et al., 2025). The magnitude of health risk depends on the type of pollutant, concentration, exposure duration, route of exposure and individual characteristics. Heavy metals such as lead, mercury and cadmium are of concern because of their persistence and potential to affect biological systems. Petroleum-associated contaminants may also pose risks depending on their chemical composition and exposure conditions. Pollution can also affect communities indirectly through loss of

agricultural productivity, degradation of fisheries, reduced availability of clean water and deterioration of ecosystem services.

Table 7: Major Exposure Pathways and Potential Implications

Exposure pathway	Examples	Potential implications
Inhalation	Polluted air, smoke, vapours	Respiratory and systemic exposure
Ingestion	Contaminated food and water	Internal exposure through the digestive system
Dermal contact	Polluted soil and water	Absorption and local exposure
Food-chain transfer	Contaminated crops, fish and livestock	Bioaccumulation and chronic exposure
Occupational exposure	Industrial and agricultural activities	Repeated environmental exposure

The table 7 shows that environmental contaminants can reach humans through several pathways. Food-chain transfer is particularly important because pollutants that accumulate in crops, fish or livestock can become part of the human diet. This illustrates the connection between environmental quality and food safety. The existence of several exposure pathways also emphasizes the importance of controlling pollution at its source. Preventing contamination can reduce exposure more effectively than addressing health consequences after widespread environmental contamination has occurred.

VIII. POLLUTION CONTROL, REMEDIATION AND ECOSYSTEM RESTORATION

Pollution control involves strategies designed to prevent, reduce, contain or eliminate the release and effects of environmental contaminants. The most effective approach is often prevention at the source, because reducing pollutant generation minimizes the need for costly remediation.

Industrial facilities can reduce pollution through cleaner production, waste minimization, wastewater treatment and emission-control technologies (Garg & Singh, 2022). Agricultural pollution can be reduced through appropriate fertilizer application, integrated pest management, erosion control and improved waste management. Petroleum-related pollution requires proper infrastructure, monitoring, spill prevention and rapid response to accidental releases. Where contamination has already occurred, remediation becomes necessary. Remediation methods may be physical, chemical, biological or a combination of approaches.

Table 8: Major Environmental Remediation Approaches

Remediation approach	Examples	Major advantages	Major limitations
Physical remediation	Excavation, containment, soil washing	Rapid contaminant removal	Can be expensive and disruptive
Chemical remediation	Oxidation, reduction, stabilization	Effective for selected contaminants	May generate secondary products
Bioremediation	Microbial degradation	Relatively sustainable and less disruptive	May be slow and condition-dependent
Phytoremediation	Plant uptake or immobilization	Low-cost and environmentally friendly	Usually requires longer treatment periods
Nanoremediation	Nanoparticle adsorption, catalysis or immobilization	High surface area and reactivity	Potential environmental risks require assessment
Thermal treatment	Heating/incineration	Effective for some persistent contaminants	High energy requirements

Table 8 illustrates that no single remediation method is universally applicable to all contaminated environments. Physical approaches may provide

relatively rapid removal but can disturb soil structure and require substantial resources. Chemical techniques can be effective but may generate transformation products or require careful control.

Biological methods have received considerable attention because they can be less disruptive and may promote ecological recovery. Bioremediation uses microorganisms to degrade or transform contaminants, whereas phytoremediation uses plants to remove, stabilize or transform pollutants.

Nanoremediation is an emerging area involving the use of engineered or biologically synthesized nanomaterials for contaminant removal or transformation. Nanomaterials can possess high surface area and reactive sites, potentially improving their interaction with pollutants (Yaqoob et al., 2020). However, their application should be accompanied by assessment of their persistence, mobility and possible effects on non-target organisms.

IX. ECOSYSTEM RESTORATION

Successful remediation should not be limited to reducing contaminant concentrations. An ecosystem may remain degraded even after contaminant levels have declined if soil structure, vegetation, microbial communities and ecological functions have not recovered. Ecosystem restoration therefore seeks to re-establish ecological processes and biological communities (Holl et al., 2022). Restoration may involve re-vegetation, soil amendment, microbial stimulation, nutrient management, erosion control and long-term monitoring. In contaminated agricultural soils, restoration should also consider plant establishment, germination, growth, nutrient availability and soil biological activity.

Overall Synthesis

Environmental pollution is a multifaceted problem involving the introduction and movement of harmful substances through interconnected environmental compartments. The effects of pollutants extend from changes in soil, water and air quality to impacts on microorganisms, plants, animals, biodiversity and human populations. The severity of these effects depends on pollutant characteristics, environmental

conditions, exposure pathways and duration of contamination (Babuji et al., 2023). The literature indicates that prevention, monitoring, remediation and ecological restoration must operate together. While conventional physical and chemical remediation methods remain important, increasing attention is being directed toward biological and environmentally compatible technologies. These approaches include bioremediation, phytoremediation and the application of advanced materials such as nanomaterials. For contaminated soils, particularly those affected by petroleum hydrocarbons, effective remediation should ideally reduce pollutant concentrations while simultaneously improving soil quality and supporting plant establishment. This creates an important basis for investigating innovative materials and remediation technologies that can both reduce environmental contaminants and promote ecosystem recovery.

X. CONCLUSION

Environmental pollution remains a significant threat to ecosystem stability, biodiversity and human wellbeing. This review has demonstrated that pollutants originating from industrial activities, agriculture, petroleum exploration, transportation, mining and improper waste disposal can contaminate air, water and soil and subsequently move between environmental compartments. The persistence and mobility of contaminants such as heavy metals, petroleum hydrocarbons, pesticides, plastics and other hazardous substances can produce prolonged ecological effects. Pollution can alter soil properties, reduce water and air quality, inhibit plant growth, affect animals and microorganisms, and disrupt nutrient cycling and other essential ecosystem processes.

Bioaccumulation and biomagnification may further increase contaminant exposure within food chains, contributing to biodiversity loss and ecological imbalance. Effective management therefore requires an integrated approach involving pollution prevention, environmental monitoring, appropriate regulation and timely remediation. Biological approaches, phytoremediation and emerging

nanotechnology-based techniques offer promising alternatives for contaminated environments when carefully evaluated for effectiveness and safety. Sustainable pollution management, public awareness and ecosystem restoration are essential for protecting environmental resources, maintaining biodiversity and ensuring the long-term health and productivity of ecosystems.

REFERENCES

1. Abeokuta, O.J, Uriri, S.A, Obruche, E.K, Okurame, O (2025). Hydrochemical Assessment of Borehole Water Quality in Eku, Delta State, Nigeria. *Journal of Science, Technology and Environmental Studies*,1(2):17-25
2. Abubakar, I. R., Maniruzzaman, K. M., Dano, U. L., AlShihri, F. S., AlShammari, M. S., Ahmed, S. M. S., ... & Alrawaf, T. I. (2022). Environmental sustainability impacts of solid waste management practices in the global South. *International journal of environmental research and public health*, 19(19), 12717.
3. Aib, H., Parvez, M. S., & Czédli, H. M. (2025). Pharmaceuticals and microplastics in aquatic environments: A comprehensive review of pathways and distribution, toxicological and ecological effects. *International Journal of Environmental Research and Public Health*, 22(5), 799.
4. Awuchi, C. G., Hannington, T., Awuchi, C. G., Igwe, V. S., & Amagwula, I. O. (2020). Industrial waste management, treatment, and health issues: wastewater, solid, and electronic wastes. *European Academic Research*, 8(2), 1081-1119.
5. Babuji, P., Thirumalaisamy, S., Duraisamy, K., & Periyasamy, G. (2023). Human health risks due to exposure to water pollution: a review. *Water*, 15(14), 2532.
6. Correia, A. A. S., & Rasteiro, M. G. (2025). A review of persistent soil contaminants: assessment and remediation strategies. *Environments*, 12(7), 229.
7. Ekpo Ekokodu Rose, Erienu Obruche Kennedy, and Abiye Clement. Marcus (2025). Spatial and Temporal Variations in the Concentrations of Polycyclic Aromatic Hydrocarbon, in Ambient Air From Three Different Locations in River State,

- Nigeria. International Journal of New Chemistry, 12 (4), 567-580
8. Erienu Obruche Kennedy, Itodo Adams, Wuana Raymond and Sesugh Ande (2022). Polycyclic Aromatic Hydrocarbons in Harvested Rainwater in Warri and Agbarho, Nigeria. Bulletin of chemical society of Ethiopia, 36(4): 27-35.
9. Etus Patrick Chimuanya and Erienu Kennedy Obruche (2026). Assessment of Toxic Metals in Cassava Varieties Cultivated in Damagum L.G.A, Yobe State, for Environmental and Health Impacts. International Journal of Science, Engineering and Technology, 1: 11
10. Etus Patrick Chimuanya and Erienu Kennedy Obruche (2026). The Role of plants in treating diseases caused by microorganisms through natural product based therapies. International Journal of Science, Engineering and Technology:1-6
11. Festus-Amadi, I. R, Erhabor, O. D, Ogwuche Christiana E, and Obruche E. K. (2021). Characterization of Contaminated Sediments Containing Polycyclic Hydrocarbons from Three Rivers in the Niger Delta Region of Nigeria. Chemistry Research Journal, 6(3):1-12
12. Fu, Z., & Xi, S. (2020). The effects of heavy metals on human metabolism. Toxicology mechanisms and methods, 30(3), 167-176.
13. Garg, R., & Singh, S. K. (2022). Treatment technologies for sustainable management of wastewater from iron and steel industry—a review. Environmental Science and Pollution Research, 29(50), 75203-75222.
14. Holl, K. D., Luong, J. C., & Brancalion, P. H. (2022). Overcoming biotic homogenization in ecological restoration. Trends in Ecology & Evolution, 37(9), 777-788.
15. Ikechukwu S. Chikwe, Odioko M. Obianuju, Onadje F. Owuighose, Apuyor K. Efe, Onwugbuta G. Chukwuemeka, Chikwe Oluchukwu B., Anyanwu Gogo C, Stanley Sotonye, Etus Patrick Chimuanya, Joseph N. Barnabas, 11Erienu Obruche Kennedy,(2026). Remediation of Surface Water Polluted by Mining Effluent Discharges: Environmental Impacts and Treatment Methods in South-South Region, Nigeria. International journal of computational research in science and technology, 2(1),1 – 21
16. Itodo, A. U., Wuana, R. A. Erhabor, O. D., Obruche, E. K. and Agbendeh, Z. M.(2021). Evaluating the Effects of Roofing Materials on Physicochemical Properties of Harvested Rainwater in Warri, Delta State, Nigeria. Chemical Society of Nigeria Journal, Kano, 12(1): 234-245
17. Jacintha Ijeoma Ossai, Okpanachi Nuhu Oyibo, Anne Okonta, Christian Isioma Okonta, Ejike Success Nkwachi, Michael Unekwuajo Attah, Evurani Somtochukwu Amuche, Oladosu Micheal Abimbola, Moses Adondua Abah, Aham Christopher, Daniel Temiloluwa Oyedemi, Elvis Obi Besong, Christian Chuwang Musa, Biola Rasheedat Adebayo, Anthony Olalekan Akande, Etus Patrick Chimuanya, Sunday Kaura ,Chinonso Hillary Ezeja (2025). Assessment of Nephrotoxicity and Hepatotoxicity in HIV-Positive Subjects on Antiretroviral Therapy (ART) in Nsukka Senatorial Zone, Nigeria. Journal of Human Virology & Retrovirology, 12(1):5-10
18. Khanam, Z., Sultana, F. M., & Mushtaq, F. (2023). Environmental pollution control measures and strategies: an overview of recent developments. Geospatial analytics for environmental pollution modeling: Analysis, control and management, 385-414.
19. Micheal Abimbola Oladosu¹, Moses Adondua Abah, Shola David Omooseeye, Zakka Musa, Patra Chisom Ezeamii, Patrick Chimuanya Etus, Joseph Oteng, Oluwadamilola Zainab Yakub, Emmanuel Obia Ginika, Olaide Ayokunmi Oladosu (2026). Determinants and Interventions for Vaccine Hesitancy in Rural Communities: A Global Narrative Review of Socio-Cultural, Institutional, and Infrastructural Barriers. Int. J. Adv. Biol. Biomed. Res., 14(2):171-190
20. Mititelu, M., Neacșu, S. M., Busnatu, Ș. S., Scafa-Udriște, A., Andronic, O., Lăcraru, A. E., ... & Olteanu, G. (2025). Assessing heavy metal contamination in food: Implications for human health and environmental safety. Toxics, 13(5), 333.
21. Mohanta, S., Pradhan, B., & Behera, I. D. (2024). Impact and remediation of petroleum hydrocarbon pollutants on agricultural land: a review. Geomicrobiology Journal, 41(4), 345-359.

22. Moreno-Mateos, D., Alberdi, A., Morriën, E., van der Putten, W. H., Rodríguez-Uña, A., & Montoya, D. (2020). The long-term restoration of ecosystem complexity. *Nature Ecology & Evolution*, 4(5), 676-685.
23. Nathan Rimamsanati Yohanna, Joseph Oteng, Olabisi O. Ogunlewe, Micheal Abimbola Oladosu, Patrick Chimuanya Etus, Moses Adondua Abah, Okabeonye Sunday Agbo, Oluwadamilola Zainab Yakub, Sarah Oluwaseun Julius, Olaide Ayokunmi Oladosu.(2025). Molecular identification of pathogenic bacteria in hospital environments: Implications for infection control and patient safety. *European Journal of Microbiology and Infectious Diseases*, 2(4): 173-192
24. Obruche E. K, Emakunu S.O, Ugochukwau G. C (2025). Rainwater Harvesting: Microbial and Chemical Water Quality Assessment in Warri District. *Mosogar Journal of Science Education*,10(1):36-45
25. Obruche E. k, Erhabor O.D, Itodo A.U and Itopa S.T (2019). Spectrophotometric determination of iron in some commercial iron containing tablets/capsule. *International journal of advanced trends in computer applications*, 1(1): 231-235
26. Obruche E. K, Ogwuche C.E, Erhabor O.D and Mkurzurum.C (2018). Evaluation of the inhibitive effect of African Marigold (*Tagetes erecta* L.) Flower Extracts on the Corrosion of Aluminium in Hydrochloric Acid. *International Journal of Advances in Scientific Research and Engineering*, 4 (12): 167-177
27. Obruche E. K, Ogwuche C.E, Erhabor O.D and Mkurzurum.C (2019).Investigating Corrosion Inhibition Effects of *Tagetes Erecta* L. Leaf Extract on Aluminium in Acidic Medium. *Global Scientific Journals*, 7 (1): 1-17
28. Odimgbe Ezekiel Izudike, Clark Poro David, Olubunmi Abiola Adewusi, Akpanuko Mary Emmanuel, Apuyor Stanley Ejohwomu, Onwugbuta Godpower Chukwuemeka, Ikechukwu Sampson Chikwe And Erienu Obruche Kennedy (2026) Modification Of Coconut Shell Activated Carbon With An Azo Ligand (Ddptp) For Enhanced Removal of PB^{2+} from Contaminated Water. *FUDMA Journal Of Sciences (FJS)*,10 (2):284-293
29. Ogwuche C.E and Obruche E.K. (2020). Physiochemical analysis of palm oils (*elaeis guineensis*) obtained from major markets in agbarho, unenurhie, opete, ughelli and evwreni town, Delta state, Nigeria. *International journal of trend in scientific research and development*,4(2):56-60
30. Okpanachi Nuhu Oyibo; Chidinma Favour Uhuegbu; Emmanuella Mamah; Michael Unekwujo Attah; Micheal Abimbola Oladosu; Moses Adondua Abah; Victor Okpanachi; Kyrian Ikenna Onah; Chinecherem Precious Agu; Godman Enejo Sule; Bolade Sunday Agbanigo; Patrick Chimuanya Etus; Joshua Ibrahim West; Ozioma Osonyekele; Tobi David Farinde; Olutayo Nathanael Farinde; Victor Chiedozie Ezeami (2025). Assessment of the Drinking Quality of Roof Harvested Rainwater in Nsukka Metropolis, Nigeria. *Annals of Epidemiology and Public Health*, 8(1): 1125
31. Oros, A. (2025). Bioaccumulation and trophic transfer of heavy metals in marine fish: Ecological and ecosystem-level impacts. *Journal of Xenobiotics*, 15(2), 59.
32. R.E. Ekpo, A.C. Marcus and E.K. Obruche (2023). Spatial and Temporal Variations in the Concentration of Particulate Matter in Ambient Air from three Different Locations in River State, Nigeria. *International Journal of Scientific Research in Chemical Science*,10(4):32-38
33. Samuel, P. O., Edo, G. I., Oloni, G. O., Ugbune, U., Ezekiel, G. O., Essaghah, A. E. A., & Agbo, J. J. (2023). Effects of chemical contaminants on the ecology and evolution of organisms a review. *Chemistry and Ecology*, 39(10), 1071-1107.
34. Sarah Oluwaseun Julius, Oluwadamilola Zainab Yakub, Micheal Abimbola Oladosu, Olabisi O. Ogunlewe, Oluwasegun Anthony Bosede, Moses Adondua Abah, Patrick Chimuanya Etus, Olaide Ayokunmi Oladosu.(2026). Antibiotic Resistance Patterns of *Escherichia coli* Isolated from Drinking Water Sources: Implications for Public Health and Surveillance Strategies. *Int. J. Adv. Biol. Biomed. Res.*,14(1):127-145

35. Saxena, V. (2025). Water quality, air pollution, and climate change: investigating the environmental impacts of industrialization and urbanization. *Water, Air, & Soil Pollution*, 236(2), 73.
36. Singh, P. K., Kumar, U., Kumar, I., Dwivedi, A., Singh, P., Mishra, S., ... & Sharma, R. K. (2024). Critical review on toxic contaminants in surface water ecosystem: sources, monitoring, and its impact on human health. *Environmental Science and Pollution Research*, 31(45), 56428-56462.
37. Tam, M. K., Ferrer Marti, I., Loo, S. C. J., Kamkar, M., Subramaniam, B., Moores, A., ... & Serrano, J. F. (2023). Combating threats to water, air and soil, our precious natural resources. *ACS Sustainable Chemistry & Engineering*, 11(43), 15503-15505.
38. Tudi, M., Daniel Ruan, H., Wang, L., Lyu, J., Sadler, R., Connell, D., ... & Phung, D. T. (2021). Agriculture development, pesticide application and its impact on the environment. *International journal of environmental research and public health*, 18(3), 1112.
39. Ugochukwu Gladys Chioma, Ataine Theresa Ifeyinwa and Erienu Kennedy Obruche (2025). Determination of the Physicochemical Properties of Soil Amended with Cassava Mill Effluent in Mosogar Area of Delta State. *Mosogar Journal of Science Education*, 10(1):81-89
40. Umanah F. I ; Oyibo R. U ; Rita C. N; Bashir M. A, Ibebuike U. O. & Obruche E. K. (2025). Self-Concept, Self-Efficacy and Parental Involvement as Predictors of Academic Achievement of Junior Secondary School Students in Delta South Senatorial District. *Journal of Education Research and Library Practice*, 9(8):51-65
41. Umudi E. Q., Obruche E. K., Sani M. I., Onwugbuta G. C., Aghemwenhio I.S., Ikechukwu S. C., Clark P. D., Essiet A.G., Eresanya O.I., Ibe M.C. & Hashimu. A. (2025). Evaluation of Polycyclic Aromatic Hydrocarbons (PAHs) Contents of Fishes, Waters and Sediments of Rivers Niger: Human Health Risk Assessment. *Journal of Basics and Applied Sciences Research*, 3(5), 187-199. <https://dx.doi.org/10.4314/jobasr.v3i5.20>
42. Umudi Ese Queen, Ese Ekanem , Sani Mamman Ibrahim, Onwugbuta Godpower Chukwuemeka , Suleiman Abdulmajid, Magashi Luper, Udo Idongesit , Ikechukwu Chikwe Odontimi Nimighaye , Essiet Gordon , Chinedu Okechukwu, Brown Amieye Bright and Erienu Obruche Kennedy.(2025) Degradation Efficiencies of the Total Petroleum Hydrocarbons (TPHs) in the Soil Amended with Palm Bunch Ash and Tween 80 in Ibenomo L.G.A, Akwa Ibom State. *International Journal of Chemistry and Chemical Processes*, 11(5):1-20 [10.56201/ijccp.vol.11.no5.2025.pg1.21](https://doi.org/10.56201/ijccp.vol.11.no5.2025.pg1.21)
43. Umudi Ese Queen, Odontimi Nimighaye, Sani Mamman Ibrahim, Chidi Henry, Onwugbuta Godpower Chukwuemeka, Odejobi Babajide Michael, Jemimah Wakawa Ronald Winfred Abhulimen , Abiodun Emmanuel Adams , Ikechukwu Chikwe and Erienu Obruche Kennedy. (2025). Assessment of the Seasonal Variations in Heavy Metals Concentration in the Ughelli Central Market River, Delta State, Nigeria. *International Journal of Applied Science and Mathematical Theory*, 11(6), 78-88 <https://doi.org/10.56201/ijasmt.vol.11.no6.2025.pg78.88>
44. Umudi Ese Queen; Ese Ekanem; Idongesit O. Ekpenyong; Sani Mamman Ibrahim; Onwugbuta Godpower Chukwuemeka; Suleiman Abdulmajid; Ikechukwu Chikwe; Chidi Henry; Chidi Victory; and Erienu Obruche Kennedy.(2025). Seasonal Assessment of Heavy Metals Concentrations in Sediment of the Sapele River, Nigeria *Journal of Science Innovation & Technology Research*, 9(9), 124 – 139
45. Villarrubia-Gómez, P., Almroth, B. C., Eriksen, M., Ryberg, M., & Cornell, S. E. (2024). Plastics pollution exacerbates the impacts of all planetary boundaries. *One Earth*, 7(12), 2119-2138.
46. Yaqoob, A. A., Parveen, T., Umar, K., & Mohamad Ibrahim, M. N. (2020). Role of nanomaterials in the treatment of wastewater: A review. *Water*, 12(2), 495.